


# MET: Mobile Emergency Triage System

[www.mobiledss.uottawa.ca](http://www.mobiledss.uottawa.ca)


Wojtek Michalowski, Szymon Wilk, Roman Slowinski



## MET: Mobile Emergency Triage System



## System Architecture



## Clinical Trial @ CHEO

24/7 recruitment of patients with acute abdominal pain presenting to ED

Informed consent to collect patient data and make follow-up telephone call

Where possible—2 independent observations

Patients followed until final outcome is established



## Methodology: Inductive Learning

Clinical data set developed through retrospective chart study

Rough set analysis to identify certain and approximate clinical knowledge in form of the decision rules

The triage may be *consult* when one of the following occurs:


1. A male patient experiences RLQ pain and his WBC is above 20000/mm<sup>3</sup>;
2. A male patient experiences RLQ pain lasting less than 24h, combined with vomiting;
- ...

The triage may be *discharge* when one of the following occurs:


1. A patient experiences pain (neither RLQ nor lower abdomen) lasting less than 24h;
2. A patient experiences pain (neither RLQ nor lower abdomen) of intermittent character;
- ...

Rule-based classifier operating on incomplete and not fully matched data and providing equivocal recommendation with associated strengths

## Trial Design



## Trial Results



Comprehensive representation of clinical knowledge

Accuracy similar to physicians using a very limited amount of data

Integration with the clinical workflow and structured data capture

MET research was funded by the NSERC   
Clinical trial was funded by the Physicians' Services Inc. 